

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	528	"726"/\$.ccls. and (authenticat\$ with module)	US-PGPUB; USPAT	OR	OFF	2005/09/26 16:38
S2	0	"726"/\$.ccls. and (authenticat\$ with module) same ((different plurality various multiple) with (module\$1)) and challange	US-PGPUB; USPAT	OR	OFF	2005/09/26 13:33
S3	98	"726"/\$.ccls. and (authenticat\$ with module) same ((different plurality various multiple) with (module\$1))	US-PGPUB; USPAT	OR	OFF	2005/09/26 13:33
S4	88	"726"/\$.ccls. and ((different plurality various multiple) with (module\$1)with authenticat\$)	US-PGPUB; USPAT	OR	OFF	2005/09/26 14:33
S5	3	"726"/\$.ccls. and (NTLM with kerberos with (certificate basic adj authenticat\$5 digest))	US-PGPUB; USPAT	OR	OFF	2005/09/26 13:43
S6	11	("5272754" "5497421" "5499297" "5502766" "5586260" "5590199" "5923756" "5968176" "5991406" "6052785" "6061799").pn.	US-PGPUB; USPAT	OR	OFF	2005/09/26 15:06
S7	3	("6058423" "6067623" "6279111").pn.	US-PGPUB; USPAT	OR	OFF	2005/09/26 15:07
S8	225	"726"/2.ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/26 16:38
S9	96	"726"/2.ccls. and (module\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/26 16:38
S10	1	"726"/2.ccls. and (module\$1 same (various native pluarlity multiple) near3 (protocol\$1 scheme\$1))	US-PGPUB; USPAT	OR	OFF	2005/09/26 16:39
S11	20	"726"/\$.ccls. and (module\$1 same (various native pluarlity multiple) near3 (protocol\$1 scheme\$1))	US-PGPUB; USPAT	OR	OFF	2005/09/26 16:43
S12	43	"713"/\$.ccls. and (module\$1 same (various native pluarlity multiple) near3 (protocol\$1 scheme\$1))	US-PGPUB; USPAT	OR	OFF	2005/09/26 16:45
S13	0	(NTLM with basic with kerberos).ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/26 16:46
S14	7	(NTLM with basic with kerberos)	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:27
S15	24	(modular near3 authentication)	US-PGPUB; USPAT	OR	OFF	2005/09/26 16:49
S16	302	(plurality various different native) near3 (authentication\$3) near3 (module\$1 protocol\$1 scheme\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/26 16:50

S17	11	(plurality various different native) near3 (authentication\$3) near3 (module\$1 protocol\$1 scheme\$1). ab.	US-PGPUB; USPAT	OR	OFF	2005/09/26 16:50
S18	303	"726"/\$.ccls. and (authentication\$1 near3 (module\$))	US-PGPUB; USPAT	OR	OFF	2005/09/26 17:39
S19	21	"726"/\$.ccls. and (authentication\$1 near3 (module\$)).ab.	US-PGPUB; USPAT	OR	OFF	2005/09/29 10:27
S20	399	"726"/\$.ccls. and (authentication\$1 near3 (multiple various many plurality))	US-PGPUB; USPAT	OR	OFF	2005/09/29 10:28
S21	213	"726"/\$.ccls. and ((authentication\$1 near3 (multiple various many plurality)) with (scheme\$1 module\$1 routine\$1 program\$1 librar\$3 system\$1 type\$1 ntlm kerberos basic digest))	US-PGPUB; USPAT	OR	OFF	2005/09/29 10:34
S22	17	"726"/\$.ccls. and ((authentication\$1 near3 (multiple various many plurality)) with support\$1 with (scheme\$1 module\$1 routine\$1 program\$1 librar\$3 system\$1 type\$1 ntlm kerberos basic digest))	US-PGPUB; USPAT	OR	OFF	2005/09/29 10:39
S23	178	((authentication\$1 with (multiple various many plurality)) with support\$1 with (scheme\$1 module\$1 routine\$1 program\$1 librar\$3 system\$1 type\$1 ntlm kerberos basic digest)) not S22	US-PGPUB; USPAT	OR	OFF	2005/09/29 10:43
S24	14	"6219790"	US-PGPUB; USPAT	OR	OFF	2005/09/29 10:43
S25	69	multi adj2 authentication and ("713"/\$ "380"/\$ "726"/\$).ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/29 12:30
S26	362	authentication adj module\$1 and ("713"/\$ "380"/\$ "726"/\$).ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/29 12:31
S27	19	(NTLM abasic kerberos digest) same authentication adj module\$1 and ("713"/\$ "380"/\$ "726"/\$).ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/29 13:22
S28	962	authentication adj protocol\$1 and ("713"/\$ "380"/\$ "726"/\$).ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/29 12:36
S29	2	multi adj2 authentication adj protocol\$1 and ("713"/\$ "380"/\$ "726"/\$).ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/29 13:01
S30	31	(NTLM basic kerberos digest) same authentication adj module\$1 and ("713"/\$ "380"/\$ "726"/\$).ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:09
S31	12	(NTLM basic kerberos digest) same authentication adj module\$1 and ("713"/\$ "380"/\$ "726"/\$).ccls. not S27	US-PGPUB; USPAT	OR	OFF	2005/09/29 13:23

S33	936	authentication adj server and ("713"/\$ "380"/\$ "726"/\$).ccls. not (S30 S25)	US-PGPUB; USPAT	OR	OFF	2005/09/29 13:24
S34	139	(NTLM basic kerberos digest) same (authentication adj server) and ("713"/\$ "380"/\$ "726"/\$).ccls. not (S30 S25)	US-PGPUB; USPAT	OR	OFF	2005/09/29 13:24
S35	61	(NTLM basic kerberos digest) same (authentication adj server) and ("713"/\$ "380"/\$ "726"/\$).ccls. not (S30 S25) and (@ad<"20010327" or @rlad<"20010327" or @prad<"20010327")	US-PGPUB; USPAT	OR	OFF	2005/09/29 14:11
S36	1	"6073242".pn. and authenticat\$	US-PGPUB; USPAT	OR	OFF	2005/09/29 14:39
S39	21	key with card same Tv same pay adj per adj view	US-PGPUB; USPAT	OR	OFF	2005/09/29 14:42
S42	2719	(intercept\$ receiv\$) near2 request with authenticat\$3	US-PGPUB; USPAT	OR	OFF	2005/09/29 15:09
S43	22	(intercept\$ receiv\$) near2 request with authenticat\$3 and 726/2.ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/29 15:12
S44	3	((security reference) adj2 monitor) and 726/2.ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:10
S45	10	(authenticat\$4 adj2 module) and 726/2.ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/29 15:15
S46	10	(authenticat\$4 adj2 module) same authenticat\$3 and 726/2.ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/29 15:15
S47	1	"6219790".pn. and protocol adj module\$1	US-PGPUB; USPAT	OR	OFF	2005/09/29 16:08
S48	109	authentication near4 (OSI "TCP/IP")	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:06
S49	76	authentication near3 (OSI "TCP/IP")	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:07
S50	0	authentication near3 (OSI "TCP/IP") and (OSI "TCP/IP").ti.	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:07
S51	0	authentication near4 (OSI "TCP/IP") and (OSI "TCP/IP").ti.	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:07
S52	8	authentication near4 (OSI "TCP/IP") and (OSI "TCP/IP").ab.	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:08
S53	10	authentication with (OSI "TCP/IP")	USOCR; EPO; JPO	OR	OFF	2005/09/29 18:08
S54	11	(NTLM basic kerberos digest) with authentication with module\$1	EPO; JPO; DERWENT	OR	OFF	2005/09/29 18:10
S55	6	((security or reference) with monitor) with authentication	EPO; JPO; DERWENT	OR	OFF	2005/09/29 18:11
S56	11	((security or reference) with monitor) with authenticat\$4	EPO; JPO; DERWENT	OR	OFF	2005/09/29 18:12

S57	4645	authentica\$4 adj (process method)	EPO; JPO; DERWENT	OR	OFF	2005/09/29 18:12
S58	4079	authentication adj (process method)	EPO; JPO; DERWENT	OR	OFF	2005/09/29 18:12
S59	442282	(receiv\$3 intercept\$3) near2 (request\$1 challenge signal data)	EPO; JPO; DERWENT	OR	OFF	2005/09/29 18:20
S60	739	(receiv\$3 intercept\$3) with (request\$1 challenge signal data) with (authentica\$4 authorizat\$4 authorisat\$3) with (module program code layer monitor application manager)	EPO; JPO; DERWENT	OR	OFF	2005/09/29 18:20
S61	10	(authentica\$4 authorizat\$4 authorisat\$3) with (module program code layer monitor application manager) with (send\$3 forward\$3) with (data program signal) with (different alter\$5 chang\$3 vary)	EPO; JPO; DERWENT	OR	OFF	2005/09/29 18:21
S62	4	S60 and S61	EPO; JPO; DERWENT	OR	OFF	2005/09/29 18:18
S63	3862	(receiv\$3 intercept\$3) with (request\$1 challenge signal data) with (authentica\$4 authorizat\$4 authorisat\$3) with (module program code layer monitor application manager)	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:34
S64	638301	(receiv\$3 intercept\$3) near2 (request\$1 challenge signal data)	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:35
S65	3595	S63 and S64	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:20
S66	141	(authentica\$4 authorizat\$4 authorisat\$3) with (module program code layer monitor application manager) with (send\$3 forward\$3 receiv\$3) with (respons\$3)	EPO; JPO; DERWENT	OR	OFF	2005/09/29 18:26
S67	1235	(authentica\$4 authorizat\$4 authorisat\$3) with (module program code layer monitor application manager) with (send\$3 forward\$3 receiv\$3) with (respons\$3)	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:35
S68	759	S67 and S65	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:27
S69	112	S67 and S65 and "726"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:27
S70	1950	(receiv\$3 intercept\$3) with (request\$1 challenge signal data) with (authentica\$4 authorizat\$4 authorisat\$3) with (module layer monitor application manager)	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:35

S71	1812	S64 and S70	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:35
S72	596	(authenticat\$4 authorizat\$4 authorisat\$3) with (module layer monitor application manager) with (send\$3 forward\$3 receiv\$3) with (respons\$3)	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:35
S73	360	S71 and S72	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:35
S74	69	S71 and S72 and "726"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:53
S75	277	server with select\$3 adj3 protocol\$1	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:53
S76	0	server with select\$3 adj3 protocol\$1 and "726"/\$.ccls	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:54
S77	0	server with select\$3 adj3 protocol\$1 and "713"/\$.ccls	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:53
S78	0	server with select\$3 adj3 protocol\$1 and "380"/\$.ccls	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:54
S79	7	server with select\$3 adj3 protocol\$1 and "380"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:54
S80	17	server with select\$3 adj3 protocol\$1 and "726"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:55
S81	2	authenticat\$ same (server with select\$3 adj3 protocol\$1 )and "726"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/29 18:55
S84	91	726/8.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/23 15:13
S85	52	726/8.ccls. and module\$1	US-PGPUB; USPAT	OR	OFF	2006/01/23 15:44
S86	708	(plurality diverse\$1 various multiple "number of" many differ\$4 variaty) near5 (authenticat\$4 authoris\$5 authroiz\$5) near2 (protocol\$1 scheme\$1 module\$1 librar\$3)	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:13
S87	523	(plurality diverse\$1 various multiple "number of" many differ\$4 variaty) near5 ((authenticat\$4 authoris\$5 authroiz\$5) near2 (protocol\$1 scheme\$1 module\$1 librar\$3))	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:04
S88	5	(log adj on log adj in sign adj in sign adj on) near3 (protocol\$1 scheme\$1 module\$1 librar\$3)	US-PGPUB; USPAT	OR	OFF	2006/01/23 15:49
S89	96353	(convert\$3 chang\$3 translat\$3 replac\$3 exchang\$3 ) near4 (protocol\$1 scheme\$1 module\$1 librar\$3)	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:10

S90	392905	(authenticat\$3 sign adj on sign adj in sign\$3 log adj in log adj on logon login) near2 (data information password credentials)	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:14
S91	523036	(authenticat\$3 sign adj on sign adj in sign\$3 log adj in log adj on logon login) near4 (data information password credentials)	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:56
S92	39051	S89 and S91	US-PGPUB; USPAT	OR	OFF	2006/01/23 15:53
S93	5186	S89 same S91	US-PGPUB; USPAT	OR	OFF	2006/01/23 15:56
S94	10	S89 same S91 same S86	US-PGPUB; USPAT	OR	OFF	2006/01/23 15:56
S95	754	(plurality diverse\$1 various multiple "number of" many differ\$4 variaty) near5 ((authenticat\$4 authoris\$5 authroiz\$5) near2 (protocol\$1 scheme\$1 module\$1 librar\$3 service\$1 handler\$ driver\$1))	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:10
S96	0	S94 not S86	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:06
S97	260	S95 not S86	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:06
S98	0	S89 same S91 same S97	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:07
S99	165	(plurality diverse\$1 various multiple "number of" many differ\$4 variaty) with (authenticat\$4 authoris\$5 authroiz\$5) with (protocol\$1 scheme\$1 module\$1 librar\$3 service\$1 handler\$ driver\$1)	USOCR; EPO; JPO	OR	OFF	2006/01/23 16:15
S10 0	340000	(authenticat\$3 sign adj on sign adj in sign\$3 log adj in log adj on logon login) near4 (data information password credentials)	EPO; JPO; DERWENT	OR	OFF	2006/01/23 16:11
S10 1	38647	(convert\$3 chang\$3 translat\$3 replac\$3 exchang\$3 ) with (protocol\$1 scheme\$1 module\$1 librar\$3)	EPO; JPO; DERWENT	OR	OFF	2006/01/23 16:17
S10 2	578697	(authenticat\$3 sign adj on sign adj in sign\$3 log adj in log adj on logon login) with (data information password credentials)	EPO; JPO; DERWENT	OR	OFF	2006/01/23 16:32
S10 3	7	S99 and S101 and S102	USOCR; EPO; JPO	OR	OFF	2006/01/23 16:11
S10 4	38383	(single) adj2(sign adj on sign adj in sign\$3 log adj in log adj on logon login)	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:24

S10 5	3119	(plurality diverse\$1 various multiple "number of" many differ\$4 variaty) with (authenticat\$4 authoris\$5 authroiz\$5) with (protocol\$1 scheme\$1 module\$1 librar\$3 service\$1 handler\$ driver\$1)	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:23
S10 6	311	S104 and S105	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:16
S10 7	130	S104 same S105	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:17
S10 8	230626	(convert\$3 chang\$3 translat\$3 replac\$3 exchang\$3 ) with (protocol\$1 scheme\$1 module\$1 librar\$3 driver\$1)	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:17
S10 9	79	S107 and S108	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:18
S11 0	44227	(heterogeneous mix\$3 diverse\$2) near2 (protocol\$1 scheme\$1 system\$1)	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:31
S11 1	863	S104 and S110	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:24
S11 2	7116	S104 and S108	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:24
S11 3	438	S104 and S108 and S110	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:25
S11 4	38	S104 same S110 and S108	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:25
S11 5	1116	(NTLM with basic with sesame kerberos)	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:28
S11 6	64	S113 and S115	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:28
S11 9	52376	(heterogeneous mix\$3 diverse\$2) with (protocol\$1 scheme\$1 system\$1)	EPO; JPO; DERWENT	OR	OFF	2006/01/23 16:34
S12 1	1616	S102 and S119	EPO; JPO; DERWENT	OR	OFF	2006/01/23 16:32
S12 2	31	S102 and S119 and S101	EPO; JPO; DERWENT	OR	OFF	2006/01/23 16:33
S12 3	8349	(heterogeneous mix\$3 diverse\$2) with (protocol\$1 scheme\$1 system\$1)and (authenticat\$3 sign adj on sign adj in sign\$3 log adj in log adj on logon login)	EPO; JPO; DERWENT	OR	OFF	2006/01/23 16:47
S12 4	5150	(heterogeneous mix\$3 diverse\$2) with (protocol\$1 scheme\$1 system\$1)with(authenticat\$3 sign adj on sign adj in sign\$3 log adj in log adj on logon login)	EPO; JPO; DERWENT	OR	OFF	2006/01/23 16:47

S12 5	504	(heterogeneous mix\$3 diverse\$2) near4 ((authenticat\$3 sign adj on sign adj in sign\$3 log adj in log adj on logon login) near2 (protocol\$1 scheme\$1 system\$1))	EPO; JPO; DERWENT	OR	OFF	2006/01/23 16:47
S12 6	329	(heterogeneous mix\$3 diverse\$2) near2 ((authenticat\$3 sign adj on sign adj in sign\$3 log adj in log adj on logon login) near2 (protocol\$1 scheme\$1 system\$1))	EPO; JPO; DERWENT	OR	OFF	2006/01/23 16:48
S12 7	206	(heterogeneous mix\$3 diverse\$2) near2 ((authenticat\$3 sign adj on sign adj in sign\$3 log adj in log adj on logon login) adj2 (protocol\$1 scheme\$1 system\$1))	EPO; JPO; DERWENT	OR	OFF	2006/01/23 16:50
S12 8	61	(heterogeneous mix\$3 diverse\$2) near2 ((authenticat\$3 sign adj on sign adj in sign\$3 log adj in log adj on logon login) adj1 (protocol\$1 scheme\$1 system\$1))	EPO; JPO; DERWENT	OR	OFF	2006/01/23 16:48
S12 9	0	((heterogeneous mix\$3 diverse\$2) with (authenticat\$3 sign adj on sign adj in sign\$3 log adj in log adj on logon login) with (protocol\$1 scheme\$1 system\$1)) and 726/8. ccls.	EPO; JPO; DERWENT	OR	OFF	2006/01/23 16:49
S13 0	0	((heterogeneous mix\$3 diverse\$2) ) and 726/8.ccls.	EPO; JPO; DERWENT	OR	OFF	2006/01/23 16:49
S13 1	0	((heterogeneous mixed diversified) with (authenticat\$3 sign adj on sign adj in sign\$3 log adj in log adj on logon login) with (protocol\$1 scheme\$1 system\$1)) and 726/8. ccls.	EPO; JPO; DERWENT	OR	OFF	2006/01/23 16:49
S13 2	1249	((heterogeneous mixed diversified) with (authenticat\$3 sign adj on sign adj in sign\$3 log adj in log adj on logon login) with (protocol\$1 scheme\$1 system\$1))	EPO; JPO; DERWENT	OR	OFF	2006/01/23 16:49
S13 3	88	(heterogeneous mixed diversified) near2 ((authenticat\$3 sign adj on sign adj in sign\$3 log adj in log adj on logon login) adj2 (protocol\$1 scheme\$1 system\$1))	EPO; JPO; DERWENT	OR	OFF	2006/01/23 16:55
S13 4	13169	(integrated unified) adj2 (authenticat\$3 sign adj on sign adj in sign\$3 log adj in log adj on logon login)	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:56
S13 5	6794	(integrated unified) adj1 (authenticat\$3 sign adj on sign adj in sign\$3 log adj in log adj on logon login)	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:56



S13 6	29	(integrated unified) adj1 ( login)	US-PGPUB; USPAT	OR	OFF	2006/01/23 16:57
S13 7	1	"5,774,551".pn.	US-PGPUB; USPAT	OR	OFF	2006/01/23 17:37
S13 8	1	"5774551".pn.	US-PGPUB; USPAT	OR	OFF	2006/01/23 19:09
S13 9	10	kerberos with symmetric and rsa with public and authentication	US-PGPUB; USPAT	OR	OFF	2006/01/23 19:20
S14 0	275	module near2 (identification id) near2 (execut\$3 call\$3 invok\$3)	US-PGPUB; USPAT	OR	OFF	2006/01/23 19:21
S14 1	5	addition with module near2 (identification id) near2 (execut\$3 call\$3 invok\$3)	US-PGPUB; USPAT	OR	OFF	2006/01/23 19:22
S14 2	21	addition with function\$1 near2 (identification id) near2 (execut\$3 call\$3 invok\$3)	US-PGPUB; USPAT	OR	OFF	2006/01/23 19:23
S14 3	0	addition with function\$1 near2 (identification id) near2 (execut\$3 call\$3 invok\$3) and "717"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/23 19:23
S14 4	48	function\$1 near2 (identification id) near2 (execut\$3 call\$3 invok\$3) and "717"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/23 20:03
S14 5	196	test\$3 with (module software program) with problem\$1 with (address\$3 identif\$3)	US-PGPUB; USPAT	OR	OFF	2006/01/23 20:04
S14 6	17	test\$3 with (module software program) with problem\$1 with (address\$3 identif\$3) with (fix\$3 correct\$3)	US-PGPUB; USPAT	OR	OFF	2006/01/23 20:08
S14 7	0	test\$3 adj bed with problem\$1 with (address\$3 identif\$3) with (fix\$3 correct\$3)	US-PGPUB; USPAT	OR	OFF	2006/01/23 20:12
S14 8	1493	test adj bed	US-PGPUB; USPAT	OR	OFF	2006/01/23 20:13
S14 9	62	(test adj bed).ab.	US-PGPUB; USPAT	OR	OFF	2006/01/23 20:14
S15 0	0	(test adj2 system with potential adj problems).ab.	US-PGPUB; USPAT	OR	OFF	2006/01/23 20:15
S15 1	4	(test adj2 system with potential adj problems)	US-PGPUB; USPAT	OR	OFF	2006/01/23 20:15
S15 2	1	(test\$3 with potential adj problems) and "726"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/23 20:16
S15 3	6	(test\$3 with potential adj problems) and "707"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/23 20:24